

FIREFLEX N2BLAST UNITS

CONFIGURATION / ORDER FORM

Note: This form **MUST** accompany each order sent to your FireFlex N2Blast Authorized Distributor

Date:

Purchase Order No.:

Company Name:		SHIP TO:	
Address:			
State/Prov.:	Zip/Postal Code:	State/Prov.:	Zip/Postal Code:
Buyer's Name:		Notes:	
Project name:			
Engineer:		Quantity (see note):	

NOTE: Unless they are all the same, use one Configuration / Order Form per system size and / or type when ordering multiple units.
 INSTRUCTIONS: First, select the system type. Then, choose the style of system required and its release system. Finally, select the proper system by circling the part number under the column of the system size. This is the item you will order from your local SupplyNet office. Add the required system options to complete your order and sign at the bottom of the last page.

SYSTEM TYPE	STYLE	RELEASE	NITROGEN GENERATOR	SYSTEM SIZE					
				1½"	2"	3"	4"	6"	
PREACTION SYSTEMS Specify pressure adjustment: <input type="checkbox"/> 175 psi <input type="checkbox"/> 250 psi									
<input type="checkbox"/> PREACTION NON INTERLOCK	Without Panel (Remote)	Electric	250 USGal.	N2PNELNP15	N2PNELNP20	N2PNELNP30	N2PNELNP40	N/A	
			750 USGal.	N/A	N/A	N7PNELNP30	N7PNELNP40	N7PNELNP60	
		Pneumatic	250 USGal.	N2PNPNP15	N2PNPNP20	N2PNPNP30	N2PNPNP40	N/A	
			750 USGal.	N/A	N/A	N7PNPNP30	N7PNPNP40	N7PNPNP60	
	With VFR-400	Electric	250 USGal.	N2PNELWP15	N2PNELWP20	N2PNELWP30	N2PNELWP40	N/A	
			750 USGal.	N/A	N/A	N7PNELWP30	N7PNELWP40	N7PNELWP60	
<input type="checkbox"/> PREACTION SINGLE INTERLOCK	Without Panel (Remote)	Electric	250 USGal.	N2PSELNP15	N2PSELNP20	N2PSELNP30	N2PSELNP40	N/A	
			750 USGal.	N/A	N/A	N7PSELNP30	N7PSELNP40	N7PSELNP60	
		Pneumatic	250 USGal.	N2PSPNNP15	N2PSPNNP20	N2PSPNNP30	N2PSPNNP40	N/A	
			750 USGal.	N/A	N/A	N7PSPNNP30	N7PSPNNP40	N7PSPNNP60	
	With VFR-400	Electric	250 USGal.	N2PSELWP15	N2PSELWP20	N2PSELWP30	N2PSELWP40	N/A	
			750 USGal.	N/A	N/A	N7PSELWP30	N7PSELWP40	N7PSELWP60	
<input type="checkbox"/> PREACTION DOUBLE INTERLOCK	Without Panel (Remote)	Elect-Pneumatic	250 USGal.	N2PDEPNP15	N2PDEPNP20	N2PDEPNP30	N2PDEPNP40	N/A	
			750 USGal.	N/A	N/A	N7PDEPNP30	N7PDEPNP40	N7PDEPNP60	
		Elect-Pneumatic	250 USGal.	N2PDPANP15	N2PDPANP20	N2PDPANP30	N2PDPANP40	N/A	
			750 USGal.	N/A	N/A	N7PDPANP30	N7PDPANP40	N7PDPANP60	
	Pneumatic-Pneumatic	250 USGal.	N2PDPPNP15	N2PDPPNP20	N2PDPPNP30	N2PDPPNP40	N/A		
		750 USGal.	N/A	N/A	N7PDPPNP30	N7PDPPNP40	N7PDPPNP60		
		With VFR-400	Elect-Pneumatic	250 USGal.	N2PDEPWP15	N2PDEPWP20	N2PDEPWP30	N2PDEPWP40	N/A
				750 USGal.	N/A	N/A	N7PDEPWP30	N7PDEPWP40	N7PDEPWP60
Elect-Pneumatic	250 USGal.	N2PDPAWP15	N2PDPAWP20	N2PDPAWP30	N2PDPAWP40	N/A			
	750 USGal.	N/A	N/A	N7PDPAWP30	N7PDPAWP40	N7PDPAWP60			

SYSTEM TYPE	STYLE	RELEASE	NITROGEN GENERATOR	SYSTEM SIZE					
				1½"	2"	3"	4"	6"	
DRY PIPE SYSTEMS									
<input type="checkbox"/> DRY PIPE 175 psi	In Cabinet (Remote)	N/A	250 USGal.	N/A	N/A	N/A	N2DRYENP40	N/A	
			750 USGal.	N/A	N/A	N/A	N7DRYENP40	N7DRYENP60	
<input type="checkbox"/> HP DRY PIPE 250 psi	In Cabinet (Remote)	N/A	250 USGal.	N2DHPENP15	N2DHPENP20	N2DHPENP30	N2DHPENP40	N/A	
			750 USGal.	N/A	N/A	N7PNELWP30	N7PNELWP40	N7PNELWP60	
MULTI-CYCLE SYSTEMS Specify pressure adjustment: <input type="checkbox"/> 175 psi <input type="checkbox"/> 250 psi									
<input type="checkbox"/> PREACTION SINGLE INTERLOCK	Without Panel (Remote)	Firecycle III	250 USGal.	N2FSINNP15	N2FSINNP20	N2FSINNP30	N2FSINNP40	N/A	
	With VFR-400		750 USGal.	N/A	N/A	N7FSINNP30	N7FSINNP40	N7FSINNP60	
			250 USGal.	N2FSINWP15	N2FSINWP20	N2FSINWP30	N2FSINWP40	N/A	
	750 USGal.		N/A	N/A	N7FSINWP30	N7FSINWP40	N7FSINWP60		
<input type="checkbox"/> PREACTION DOUBLE INTERLOCK	Without Panel (Remote)		Firecycle III	250 USGal.	N2FDOUNP15	N2FDOUNP20	N2FDOUNP30	N2FDOUNP40	N/A
	With VFR-400			750 USGal.	N/A	N/A	N7FDOUNP30	N7FDOUNP40	N7FDOUNP60
				250 USGal.	N2FDOWP15	N2FDOWP20	N2FDOWP30	N2FDOWP40	N/A
	750 USGal.			N/A	N/A	N7FDOWP30	N7FDOWP40	N7FDOWP60	
SUREFIRE PREACTION SYSTEMS Specify pressure adjustment: <input type="checkbox"/> 175 psi <input type="checkbox"/> 250 psi									
<input type="checkbox"/> PREACTION SINGLE INTERLOCK	Without Panel (Remote)	SureFire		250 USGal.	N2SFSINP15	N2SFSINP20	N2SFSINP30	N2SFSINP40	N/A
	With VFR-400			750 USGal.	N/A	N/A	N7SFSINP30	N7SFSINP40	N7SFSINP60
				250 USGal.	N2SFSIWP15	N2SFSIWP20	N2SFSIWP30	N2SFSIWP40	N/A
	750 USGal.		N/A	N/A	N7SFSIWP30	N7SFSIWP40	N7SFSIWP60		
<input type="checkbox"/> PREACTION DOUBLE INTERLOCK	Without Panel (Remote)		SureFire	250 USGal.	N2SFDONP15	N2SFDONP20	N2SFDONP30	N2SFDONP40	N/A
	With VFR-400			750 USGal.	N/A	N/A	N7SFDONP30	N7SFDONP40	N7SFDONP60
				250 USGal.	N2SFDOWP15	N2SFDOWP20	N2SFDOWP30	N2SFDOWP40	N/A
	750 USGal.			N/A	N/A	N7SFDOWP30	N7SFDOWP40	N7SFDOWP60	

SYSTEM TRIM OPTIONS	SYSTEM SIZE				
	1½"	2"	3"	4"	6"
Shut-off Valve & Sight Glass (Not available for Dry Pipe systems)	N2SHUTV015	N2SHUTV020	N2SHUTV030	N2SHUTV040	N2SHUTV060
Semi-Flanged Inlets & Outlet: Inlet: <input type="checkbox"/> L <input type="checkbox"/> R* Drain: <input type="checkbox"/> L <input type="checkbox"/> R*	N2SEMFLG15	N2SEMFLG20	N2SEMFLG30	N2SEMFLG40	N2SEMFLG60
Galvanized Main Inlet & Riser Option	N2GALVOPTI				
ANTI Column device	N2ANTCOLD1				
Elevated Tank Option *MANDATORY for option Semi-Flanged on Right side	N2UPTANK01				
Note: Each System include a Leak Detection System (LDS) and an Auto-Purge System (APS).					

VFR-400 CONTROL PANEL OPTIONS			
Zones Programming:	<input type="checkbox"/> Single Zone (Zone 1 OR Zone 2)	<input type="checkbox"/> Crossed Zones (Zone 1 AND Zone 2)	
Firecycle III Soaking Timer Adjustment:	<input type="checkbox"/> _____ Sec. (Available 30, 60, 90 sec. & from 2 to 20 min. in 1 min. increments)		
Emergency Batteries:	Standard Systems:	7 AH batteries (Included with the standard system) N2BAT02407 <input type="checkbox"/> 12 AH (FM's 90 Hrs Stand-by) N2BAT02412	
	Surefire & Firecycle III Systems:	12 AH (Included with unit) N2BAT02412 <input type="checkbox"/> 18 AH (FM's 90 Hrs Stand-by) N2BAT02418	
VFR-400 Panel Options:	<input type="checkbox"/> Remote Annunciator Panel N2VFRP4410 Qty: _____	<input type="checkbox"/> Class "A" (Style Z) Indicating Circuits N2VFRPCAM2 Qty: _____	<input type="checkbox"/> Class "A" (Style D) Initiating Circuits N2VFRPCA2Z Qty: _____
	<input type="checkbox"/> Relay Module ARM-44 N2OPTARM44		
Note: VFR-400 panel provides 4 sets of dry contacts. ALARM - TROUBLE - SUPERVISORY - WATERFLOW			
<input type="checkbox"/> Los Angeles City Auxiliary Contacts N2LAOPTION		<input type="checkbox"/> Chicago City Auxiliary Contacts N2CHOPTION	
Note: The Los Angeles and Chicago City Auxiliary Contacts options are also available for remote units.			

AIR SUPPLIES						
Air Supplies for Cabinets Size:	Style "A" (Tankless Air Compressor)				Style "B" Air Pressure Maintenance Device for Sprinkler Piping	Style "C" Air Pressure Maintenance Device for Pilot Line
	1/6 HP	1/3 HP	1/2 HP	1 HP		
<input type="checkbox"/> 120 V/ 60 Hz <input type="checkbox"/> 220 V/ 60 Hz	N2AIRK0A02	N2AIRK0A03	N2AIRK0A05	N2AIRK0A10	N2AIRK0B00	N2AIRK0C00
Notes:						
1. Style "A" Air Supply cannot be mixed with Style "B".						
2. In the case of a Preaction System with Pilot Line, order either one Style "A" with one Style "C" if you need a tankless air compressor in the cabinet for the sprinklers piping, OR, one Style "B" and one Style "C" if you want both air supplies to be located outside the system cabinet.						
3. Pilot Line Air Supply will always be provided by a source located outside the FireFlex N2Blast Cabinet, supplied by others (not FireFlex Systems).						
4. 1 HP Air compressor available on 4" & 6" systems only.						

AIR SUPPLY OPTIONS		
Accelerator E-1	Without Anti-flood Device (For Preaction, Pneum. Rel. Pilot Line & HP Dry only)	With Anti-flood Device (For Standard Dry Pipe only)
	N2ACCELE1P	N2ACCELE1D

NITROGEN PURITY MONITORING OPTIONS			
Nitrogen purity options	Quick-Check PowerSaver Manifold, 1 zone c/w 500'-0" 1/4" OD plenum rated tubing	Quick-Check PowerSaver Manifold, 6 zones c/w 1000'-0" 1/4" OD plenum rated tubing	1000'-0" 1/4" OD plenum rated tubing
	N2A02QCF00	A02QCFS6P	N256519400

